



Food and Drug Administration
PHILIPPINES
Civic Drive, Filinvest Corporate City, Alabang, Muntinlupa City

REQUEST FOR QUOTATION

Date **16-Jun-2021**
Quotation No. **SVP(A)-2021-008-CTQAL**

Please quote your lowest price on the item/s listed below, subject to the Conditions. Kindly submit your quotation duly signed by you or your representative **not later than PHILGEPS CLOSING DATE**.

MA. ANGELES D. GUZMAN
Chairperson, FDA-Bids & Award Committee

Name of Project: Calibration of Laboratory Equipment and Volumetric Wares
for Cebu Testing and Quality Assurance Laboratory (CTQAL)

Procurement Mode: SVP above 50K

Classification: Services

Approved Budget for the Contract (ABC): PHP 826,164.00

ITEM DESCRIPTION/SPECIFICATION	UNIT	QTY.	COST PER ITEM	TOTAL PRICE OFFERED
CALIBRATION OF LABORATORY EQUIPMENT				
CALIBRATION OF AUTOCLAVE a) VSL-CAL-E-MIC-0006-01 Specifications: Model/ID: ALP, CL-40M S/N: 803713 Set Points: Temperature: 121°C, Pressure: 15 psi, Time: 30 mins, 10 mins. with 6 point calibration per set point b.) VSL-CAL-E-MIC-0006-02 Model/ID: Huxley, HL-340 S/N: S0906134 Set Points: Temperature: 121°C, Pressure: 15 psi, Time: 20 mins, 15 mins. with 6 point calibration per set point	job	2	3,600.00	
CHECK UP OF COLD LAB CHAMBER VSL-CAL-E-MIC-0009-01 Specifications: Model/ID: Vision Scientific, BMS-500FS S/N: 100003 Scope of Work: Overall check up of the entire equipment	job	1	56,448.00	
RE-CERTIFICATION AND PREVENTIVE MAINTENANCE OF BIOLOGICAL SAFETY CABINET a) VSL-CAL-E-MIC-0007-01 Model/ID: Telstar, Bio II AM S/N: 511344 b) VSL-CAL-E-MIC-0007-02 Model/ID: Telstar, Bio II AM S/N: 511345 c.) VSL-CAL-E-FDS-0007-03 Model/ID: Telstar, Biovanguard TEL- S/N: G50177501-01 Re-Certification Includes: a. Downflow Air Velocity Test b. Inflow Air Velocity Test c. Particle Count Test d. Filter Leak Test e. Light Intensity Test f. Noise Level Test g. Smoke Pattern Test i. Site Installation Test h. UV Light Intensity Test	job	3	22,000.00	

<p>Annual Preventive Maintenance Includes:</p> <p>a. Clean interior/exterior of BSC b. Decontaminate drain pan using IPA c. Check alarm function d. Check electrical panel e. Verify air velocity</p>				
<p>CALIBRATION OF DRYING OVEN (Mechanical Convection Oven)</p> <p>a) VSL-CAL-E-MIC-0013-01 b) VSL-CAL-E-FDS-0013-02</p> <p>Specification: Model/ID: Memmert UNE-700 S/N: C70060024 (MIC) / C708.0002 (FDS)</p> <p>Set points (micro): 60°C, 100°C and 121°C with 9 point calibration per set point</p> <p>Set points (food): 105 °C & 130 °C with 9 point calibration per set point (Foods)</p>	job	2	2,500.00	
<p>CALIBRATION OF GAS VOLUME GAUGE</p> <p>a) Pressure Gauge (3units) b) Vacuum Gauge (1 unit)</p> <p>Specification: Model/ID: BLD MC 0000316, CanNeed, Nisshin D33770</p> <p>Range: 1. 0 to 0.4 Mpa 2. 0 to 0.6 Mpa 3. -0.1 to 0 Mpa 4. 0 to 0.1 Mpa</p> <p>c) Temperature Gauge (2 units) Brand: Cole Parmer Model: 8080-11 Temperature Measuring Range: 0-50 °C Set points: 0°C, 25 C, 50°C</p>	job	6	1,200.00	
<p>CALIBRATION OF HYGROMETER (analog)</p> <p>Specification: Model/ID: Brand: Sato Keriya VSL-CAL-E-MIC-0053-07 Set Points: 42% and 43%</p>	job	1	1,255.00	
<p>CALIBRATION OF INCUBATOR</p> <p>1) VSL-CAL-E-MIC-0018-01 Specification: Model/ID: LIB-150M S/N: B100310004 Set Pt.: 42°C and 55°C with 9 point calibration per set point</p> <p>2) VSL-CAL-E-MIC-0018-02 Specification: Model/ID: LIB-300M S/N: B100310007 Set Pt.: 55°C and 60°C with 9 point calibration per set point</p> <p>3) VSL-CAL-E-MIC-0018-03 Specification: Model/ID: Memmert INE-800 Precision S/N: E8080027 Set Pt.: 25°C and 35°C with 9 point calibration per set point</p> <p>4) VSL-CAL-E-MIC-0018-04 Specification: Model/ID: Memmert INB-500 Precision S/N: E5100756</p>	job	6	2,500.00	

<p>5) VSL-CAL-E-MIC-0018-05 Specification: Model/ID: Memmert INB-500 S/N: E5120799 Set Pt.:25°C, and 35°C with 9 point calibration per set point</p> <p>6) VSL-CAL-E-MIC-0018-06 Specification: Model/ID: Memmert IPP 260 Plus S/N: V.614.0151 Set Pt.:25°C and 35°C with 9 point calibration per set point</p>				
CALIBRATION OF INVERTER REFRIGERATOR				
<p>VSL-CAL-E-MIC-0009-02 Specification: Brand: Panasonic Model/ID: NR-BW415VNPB S/N: 2VN801863 Set Points: 4°C , 6°C and -17°C and -18°C</p>	job	1	3,100.00	
RE-CERTIFICATION AND PREVENTIVE MAINTENANCE OF LAMINAR FLOW HOOD				
<p>VSL-CAL-E-MIC-0055-01 Specification: Model/ID: ESCO, AHC-3D3 S/N:2012-68390</p> <p>Re-certification Includes: a) Downflow Air Velocity Test b) Particle Count Test c) Light Intensity Test d) Noise Level Test e) UV Light Intensity Test</p> <p>Preventive Maintenance Includes: a) Clean interior/exterior of LF b) Clean/decontaminate work tray using IPA c) Check Alarm Function d) Check Electrical Panel e) Verify Air Velocity</p>	job	1	18,260.00	
CALIBRATION OF MICROPIPETTOR				
<p>Specification:</p> <p>a.) VSL-CAL-E-FDS-0051-05 2-20 ul Gilson, S/N: HL29325</p> <p>b.) VSL-CAL-E-FDS-0051-06 20-200 ul Gilson, S/N: HG32701</p> <p>c.) VSL-CAL-E-FDS-0051-07 100-1000 ul Gilson, S/N: HM21664</p> <p>d) CTQAL-CAL-E-COS-0051-15 10-100µL, Witeg Germany</p> <p>e) CTQAL-CAL-E-COS-0051-16 100-1000µL, Witeg, Germany</p> <p>f) CTQAL-CAL-E-COS-0051-17 1000-10000µL, Witeg Germany</p>	job	6	1,300.00	

<p>CALIBRATION OF PIPETTOR</p> <p>Specification:</p> <p>a) VSL-CAL-E-MIC-0051-08 S/N: 20121757 1mL</p> <p>b-e) CTQAL-CAL-E-MIC-0051-11 up to 14 S/N: YM19AAHOO75699 to YM19AAHOO75702 1mL</p>	job	5	1,300.00	
<p>CALIBRATION OF MUFFLE FURNACE</p> <p>VSL-CAL-E-FDS-0028-01</p> <p>Specifications: Model/ID: Cole Parmer, RZ-33858-30 S/N: R24U-521926-SU</p> <p>Set point: 500°C & 600°C with 9 point calibration per set point</p>	job	1	2,730.00	
<p>CALIBRATION OF pH METER (pH 4,7,10, conductivity and TDS Meter)</p> <p>a.) VSL-CAL-E-FDS-0030-02 Model/ID: Oakton 35610-10 S/N:1568089 Calibration Range: Conductivity 0-12.8 mS/cm TDS: 0-1000 ppm</p> <p>b.) VSL-CAL-E-DRG-0030-03 Model/ID: Eutech pH 2700 S/N: 811908</p> <p>c.) VSL-CAL-E-MIC-0030-04 Model/ID: Trans Instrument BP 3001 S/N: TI-15F0918</p>	job	3	1,500.00	
<p>CALIBRATION OF PHARMACEUTICAL REFRIGERATOR</p> <p>VSL-CAL-E-DRG-0009-08</p> <p>Specification: Model/ID: Lab Tech, LCV-202GR S/N: 2013120401BQ</p> <p>Set point: 4 & 6°C for with 6 point calibration per set point</p>	job	1	2,300.00	
<p>CALIBRATION OF REFRACTOMETER</p> <p>a) VSL-CAL-E-FDS-0032-01 Specification: Model/ID: Atago Master T S/N: Master T: 0136432 Scale Range: 0-33 % brix Tolerance: 2 %</p> <p>b) VSL-CAL-E-FDS-0032-02 Specification: Model/ID: Atago Master 2T S/N: Master 2T: 0131940 Scale Range: 28-62 % brix Tolerance: 2 %</p>	job	2	10,000.00	

<p>CALIBRATION OF REFRIGERATOR WITH FREEZER a) VSL-CAL-E-FDS-0009-05 Specification: Model/ID: Electrolux, ESE5608TA-RPH S/N: 34200034 Ref set point: 2°C, 4°C, 6°C, 8°C Freezer set pt.: -10°C, -15°C, -20°C, -25°C</p> <p>b) VSL-CAL-E-COS-0009-06 Specification: Model/ID: Electrolux, ETB2603 SC S/N: 21600150 Ref set pt.: 2°C, 4°C, 6°C, 8°C Freezer set pt.: -16°C, -18°C, -20°C, -22°C</p> <p>c) VSL-CAL-E-DRG-0009-07 Specification: Model/ID: Electrolux, ETB2603 SC S/N: 21600125 Ref set pt.: 2°C, 4°C, 6°C, 8°C Freezer set pt.: -16°C, -18°C, -20°C, -22 °C with 6 point calibration per set point</p>	job	3	4,200.00	
<p>CHECK-UP, CALIBRATION AND PREVENTIVE MAINTENANCE OF HEIDOLPH ADVANTAGE ROTARY EVAPORATOR SYSTEM</p> <p>VSL-CAL-E-FDS-0033-01 Specification: Model/ID: Heidolph HEI-Vap Advantage S/N: Base-011002489 / Bath-120901529</p> <p>Includes: Performs routine parts inspection check, functional test, performance operational test, cleaning of the unit and performs temperature calibration at one set point.</p> <p>Replacement and installation of parts if any.</p>	job	1	91,400.00	
<p>CALIBRATION OF DIGITAL THERMOHYGROMETERS a) VSL-CAL-E-DRG-0053-10 Specification: Model/ID: A precision ; S/N: NI Set Point : 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p> <p>b) VSL-CAL-E-DRG-0053-11 specification Model/ID: Control Company, 4096 S/N: 101335091 Set Point: 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p> <p>c) VSL-CAL-E-DRG-0053-12 specification Model/ID: Control Company, 4040 S/N: 130448244 Set Point: 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p> <p>d) VSL-CAL-E-COS-0053-14 Specification: Model/ID: Control Company, 4088 S/N: 102157622 Set Point: 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p> <p>e) VSL-CAL-E-COS-0053-15 Specification: Model/ID: Control Company, 4088 S/N: 102157616 Set Point: 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p> <p>f) CTQAL-CAL-E-MIC-0053-16 Specification: Model/ID: Control Company, 4040 S/N: 192658784 Set Point: 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p>	job	6	2,700.00	

<p>CALIBRATION OF DIGITAL THERMOHYGROMETERS</p> <p>a) VSL-CAL-E-FDS-0053-01 Specification: Model/ID: Set Point : 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p> <p>b) VSL-CAL-E-FDS-0053-02 Specification: Model/ID: Set Point : 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p> <p>c) VSL-CAL-E-FDS-0053-03 Specification: Model/ID: Set Point : 22°C, 24°C, 26°C, 28°C.30°C /30%, 40%, 50%, 60%, 70%</p>	job	5	2,700.00	
<p>d) VSL-CAL-E-FDS-0053-04 Specification: Model/ID: Set Point : 22°C, 24°C, 26°C, 28°C, 30°C /30%, 40%, 50%, 60%, 70%</p> <p>e) VSL-CAL-E-FDS-0053-05 Specification: Model/ID: Set Point: 22°C, 24°C, 26°C, 28°C, 30°C / 30%, 40%, 50%, 60%, 70%</p>				
<p>CALIBRATION OF GLASS THERMOMETER</p> <p>a) VSL-CAL-E-DRG-0054-11 b) VSL-CAL-E-DRG-0054-12 Specification: (0-100°C) Model/ID: Set Points: 20°C, 30°C, 40°C, 80°, 100°</p> <p>c) VSL-CAL-E-MIC-0054-05 Specification: (0-100°C) Model/ID: China Set Points: 42°C and 44°C</p> <p>d) VSL-CAL-E-COS-0055-08 e) VSL-CAL-E-COS-0055-09 Specification: (0-200°C) Model/ID: H-B Instrument Company Set Points: 37°C, 60°C, 90°C, 100°C, 200°C</p>	job	5	2,800.00	
<p>CALIBRATION OF THERMOMETER (lollipop)</p> <p>CTQAL-CAL-E-DRG-0055-12 Specification: Model/ID: Control Company, 4371 S/N: 192365860 Set Points: 20°C, 22°C, 24°C, 26°C, 28°C</p>	job	1	3,360.00	

<p>CALIBRATION OF DIGITAL REF/FREEZER THERMOMETER</p> <p>a) VSL-CAL-E-DRG-0055-05 (freezer) Specification: Model/ID: Control Company, S/N: 80663097 Set Points: -16°C, -18°C, -20 °C, -22°C</p> <p>b) VSL-CAL-E-DRG-0055-06 (ref) Specification: Model/ID: Control Company, S/N: 80663235 Set Points: 4°C, 5°C, 6°C, 7 °C</p> <p>c) VSL-CAL-E-COS-0055-11 (ref) Model: Control Company, S/N: 170696991 Set Points: 4°C, 5°C, 6°C, 7 °C</p> <p>d) VSL-CAL-E-COS-0055-10 (freezer) Model: Control Company, S/N: 161016208 Set Points: -11°C, -14°C, -17°C, -21°C</p> <p>e) VSL-CAL-E-FDS-0055-07 (ref) Model: 4127, S/N: 140426486 Set Points: 2°C, 4°C, 6°C, 8°C</p> <p>f) VSL-CAL-E-FDS-0055-08 (freezer) Model: 4127, S/N: 140073643 Set Points: -10°C, -15°C, -20°C, -25 °C</p>	job	6	2,800.00	
<p>CALIBRATION OF DIGITAL THERMOSTATION</p> <p>Specification: Equipment Code: a-b) VSL-CAL-E-DRG-0055-03 to 04 Set Point: 20°C, 22°C, 24°C, 26°C, 28°C</p> <p>c-d) VSL-CAL-E-MIC-0055-01 up to 02 Set Point: 20°C, 21°C, 22°C, 23°C and 24°C</p>	job	4	3,360.00	
<p>CALIBRATION OF THERMOMETER (Frio Temp)</p> <p>a) VSL-CAL-E-MIC-0054-02 Thermometer (for Freezer) Brand: Frio Temp: S/N: J78127 Set Points: -17°C, and -18°C</p> <p>b) VSL-CAL-E-MIC-0054-03 Thermometer (for Refrigerator) Brand: Frio Temp: S/N: M2249 Set Points: 4°C and 6°C</p> <p>c) VSL-CAL-E-MIC-0054-07 Thermometer (for Incubator) Brand: Frio Temp: S/N: K54891 Set Points: 25°C and 35°C,</p> <p>d) VSL-CAL-E-MIC-0054-08 Thermometer (for Incubator) Brand: Frio Temp: S/N: J77199 Set Points: 35°C and 42°C</p>	job	7	1,700.00	
<p>e) VSL-CAL-E-MIC-0054-10 Thermometer (for Incubator) Brand: Frio Temp: S/N: J76722 Set Point: 35°C, 55°C</p> <p>f) VSL-CAL-E-MIC-0054-01 Thermometer (for Ultra Low Freezer) Brand: Frio Temp; S/N: J77577 Set Point: -70°C, -80°C</p> <p>g) VSL-CAL-E-MIC-0054-04 Thermometer (for Incubator) Brand: Frio Temp: S/N: M2958 Set point: 25°C, 35°C</p>				

<p>CALIBRATION OF HUMIDITY GAUGE IN DESICCATOR CABINET</p> <p>VSL-CAL-E-MIC-0010-08</p> <p>Specification: Model/ID: Secador</p>	job	1	1,200.00	
<p>CALIBRATION OF THERMOMETER, DIGITAL</p> <p>CTQAL-CAL-E-SAF-0055-13</p> <p>Specification: Model/ID:Control Company, 4040 S/N: 192658549 Set Point: 20°C, 22°C, 24°C 26°C, 28°C</p>	job	1	3,360.00	
<p>Repair and replacement of PROCESSOR CARD for Pharma Alliance DI-200 Disintegration Tester</p> <p>VSL-CAL-E-DRG-0011-01</p> <p>Serial No.: 908134</p> <p>Di200 Processor Card 980704; P/N:0202B00011</p> <p>Includes: Replacement services Travel and accomodation expenses</p> <p>Scope of Work: Check and clean the standard accessories Check/Verify temperature Check status of the temperature sensor, motor and other movable parts Replacement of Processor Card Repair of the Disintegration Tester Testing of the unit after replacement and repair</p>	job	1	165,681.00	
<p>CALIBRATION OF FUMEHOOD</p> <p>a-b) VSL-CAL-E-DRG-0014-07 to 08 Specifications: Brand/Model: Kewaunee Supreme air Perchloric Serial No.: NI</p> <p>c) VSL-CAL-E-FDS-0014-06 Specifications : Brand/Model: Kewaunee Supreme Air Perchloric Serial No.: NI</p> <p>d) VSL-CAL-E-FDS-0014-05 Specifications : Brand/Model: Uni-Phil Danzen Serial No.: NI</p> <p>e) VSL-CAL-E-COS-0014-01 Specifications: Brand/Model: Uni-Phil Danzen Serial No.: NI</p> <p>Re-Certifis: Airflow Verification/Calibration.Face Velocity Preventive Maintenance Includes: 1.) Check water lines and leaks-faucet and wash down 2.) Check electrucal connection 3.) Check sach conditions-including the counterweights 4.) Check blower condition 5.) Check for the display monitor of air flow velocity 6.) Check for light condition 7.) Clean interior and exterior of fumehoods 8.) Check for any damage or cracks on the hood 9. Check velocity performabce using smoke test</p>	job	5	30,000.00	

Calibration of Volumetric Wares				
Burette, 50 mL	job	1	1,200.00	
Graduated Pipette (1 mL, 5 mL, and 10 mL)		3	1,200.00	
Volumetric Pipette, Class A (1 ml, 2 ml, 3 ml, 4 ml, 5 ml, 10 ml, 15 ml,		8	1,200.00	
Volumetric Flask, Class A, clear (10 ml, 20 ml, 25 ml, 50 ml, 100 ml, 200 ml, 250 ml, 500 ml, 1000 ml, and 2000 ml)		10	1,200.00	
Volumetric Flask, Class A, amber (10 ml, 25 ml, 50 ml, 100 ml, 250 ml, and 500 ml)		6	1,200.00	
Other Requirements: Equipment calibration Inclusions and conditions: 1. 12% Value Added Tax (VAT) must be included in the actual cost 2. Calibration must be conducted On-Site (if applicable) 3. In-plant (On-Site) charge (if applicable) 4. Travel and Accommodation expenses (if applicable) 5. Provision of Calibration Certificate traceable to International Standards (must show clear and valid Metrological Traceability) 6. Payment should be processed upon completion of calibration and provision of calibration certificate traceable to International Standard per equipment 7. Submission of partial bids or line item bids are allowed in this procurement 8. Awarding of lowest Calculated Bid will be determined for each line item 9. The remaining item/s that may not be awarded under this procurement be subject to re-procurement. 10. Calibration Certificate must indicate Method of Calibration, Expanded Measurement Uncertainty and the Confidence Interval (k factor) used				
nothing follows				
GRAND TOTAL:				
Delivery Period: _____ *Warranty: _____ Price Validity: _____				
After having carefully read and accepted your General Conditions, I/We hereby submit the price quotation on the item/s noted above, within the stated				
_____ Printed Name over Signature				
Canvassed By: _____		Tel. No./ Cellphone No. _____		
		E-mail Address: _____		
		Date: _____		
_____ Name of Canvasser & Position Title				
Date Conducted: _____		DTN: 20210210114257/20210517175238		

NOTE:

1. ALL ENTRIES MUST BE TYPEWRITTEN OR LEGIBLY HANDWRITTEN. BIDDERS MAY SUBMIT QUOTATIONS PROVIDED THAT ABOVE MATRIX DETAILS ARE COMPLETELY PROVIDED AND SHALL BE SUBMITTED USING COMPANY LETTERHEAD;
2. **DELIVERY PERIOD WITHIN SIXTY (60) CALENDAR DAYS;**
3. WARRANTY SHALL BE FOR A PERIOD OF SIX (6) MONTHS FOR SUPPLIES & MATERIALS, ONE (1) YEAR FOR EQUIPMENT, FROM DATE OF ACCEPTANCE BY THE PROCURING ENTITY;
4. **PRICE VALIDITY SHALL BE FOR A PERIOD OF ONE HUNDRED EIGHTY (180) CALENDAR DAYS;**
5. **PHILGEPS REGISTRATION, BIR CERT. OF REGISTRATION, MAYOR'S/BUSINESS PERMIT, INCOME/BUSINESS TAX RETURN AND OMNIBUS SWORN STATEMENT SHALL BE ATTACHED UPON SUBMISSION OF THIS QUOTATION.**
6. BIDDERS MAY SUBMIT ORIGINAL BROCHURES SHOWING CERTIFICATION OF THE PRODUCT BEING OFFERED, IF APPLICABLE;
7. PLEASE QUOTE YOUR GOVERNMENT PRICE(S) INCLUDING VAT OR OTHER APPLICABLE TAXES AND OTHER INCIDENTAL EXPENSES FOR THE TERMS LISTED/ATTACHED;
8. PLEASE SUBMIT YOUR SEALED QUOTATION/S ADDRESSED DIRECTLY TO:
MA. ANGELES D. GUZMAN, RPh
Chairperson, VC-Bids & Awards Committee
ATTENTION: **MS. LORRAINE S. RIVERA**
(EMAIL ADD: lsrivera@fda.gov.ph)
FDA - CEBU TESTING AND QUALITY ASSURANCE LABORATORY,
NORTH ROAD, JAGOBIAO, MANDAUE CITY, CEBU

DEADLINE OF SUBMISSION OF QUOTATION/S WILL BE BASED ON THE CLOSING DATE AND TIME OF PHILGEPS;

9. LATE BIDS SHALL NOT BE ACCEPTED;
10. FOR OTHER INQUIRIES/CONCERNS ABOUT THE ITEMS, PLEASE CONTACT MS. MA. CATHERINE D. PIQUERO and AND MS. LORRAINE S. RIVERA AT TELEPHONE NUMBERS (032) 564-2565 / 0922-8322310 OR LETTER THROUGH EMAIL ADDRESS MENTIONED ABOVE;
11. THE FOOD AND DRUG ADMINISTRATION RESERVES THE RIGHT TO REJECT ANY AND ALL BIDS, DECLARE A FAILURE OF THE PROCUREMENT, OR NOT AWARD THE CONTRACT AT ANY TIME PRIOR TO CONTRACT AWARD IN ACCORDANCE WITH SECTION 41 OF RA 9184 AND ITS IRR, WITHOUT INCURRING ANY LIABILITY TO THE AFFECTED BIDDER OR BIDDERS.