



BIDS AND AWARDS COMMITTEE

SUPPLEMENTAL BID BULLETIN NO. 02

For ITB No. 2022-001-DTQAL

SUPPLY AND DELIVERY OF LABORATORY GLASSWARES FOR DAVAO TESTING AND QUALITY ASSURANCE LABORATORY (DTQAL)

18 August 2022

The Opening of Bids for ITB-2022-001-DTQAL, Supply and Delivery of Laboratory Glasswares for DTQAL was conducted last August 15, 2022. Upon the evaluation of the Technical and Financial Documents of each supplier the following discrepancies were encountered by the Bids and Awards Committee:

- For **Microwealth Industrial Enterprises**, their line total for Item No. 48 was mistakenly indicated with the amount of **17,880.00** which should be a total of **23,700.00**
- For **Andsons Educational Resources**, they failed to include a copy of their **Income Tax Return** on the Copy 1 and Copy 2 of their bid documents
- For **Joelmar Trading**, their Bidding Documents indicated a different agency name instead of **Food and Drug Administration** in their After Sales Document, Manpower Requirement and other Bid Securing Declaration Forms.

For the said discrepancies, the evaluation for Andsons Educational Resources and Joelmar Trading has been put on hold since the said discrepancies were part of their Eligibility Documents. For Microwealth Industrial Enterprises the evaluation was pushed through since it was an error in the line total for the bid offer. In order to be considered for TWG Evaluation the suppliers were informed to file for a Motion for Reconsideration within 3 Calendar days after the opening of bids. All of the said suppliers were given 3 Calendar Days to submit their Motion for Reconsideration.

To date, two suppliers have already submitted their Motion for Reconsideration within the given timeline. In line with this, the Bids and Awards Committee decided to schedule another Bid Opening for the above-mentioned Public Bidding Project ITB No. 2022-001-DTQAL on 30 August 2022 via Google Meet Link (meet.google.com/yyt-seyk-oys).



EBA MARIE ANTONETTE W. INIS
Chairperson, FDA-MEC BAC

